

MINOLTA FREEDOM ZOOM 70 CAMERA Specifications

Camera Type	35mm automatic lens shutter camera with built-in zoom and flash
Lens	35 - 70mm f/5.3 – f/9.8 lens 4 elements in 4 groups; includes 2 aspherical lenses
Focusing System	Type: Active infrared autofocus Focus Range: 35mm: 4.3 feet (1.3m) to infinity 70mm: 5.3 feet (1.6m) to infinity Maximum Magnification: 1/23
Exposure	Programmed Automatic Exposure (AE)
Film Speed Setting	Setting: Auto DX-code setting (ISO 100 and 400) Non-DX-coded film set to ISO 100
Flash System	Type: Built-in Modes: Autoflash, Manual fill-flash, Flash cancel, Red-eye reduction by LED available Range (ISO 100): 35mm: 4.3 to 9.8 feet (1.3 – 3.0m) 60mm: 5.6 to 6.6 feet (1.7 – 2.0m) Recycling Time: Approximately 8 seconds
Self-timer	Approximately 10-second shutter release delay
Remote Control (optional*)	Immediate shutter release / 2-second delayed shutter release possible <i>* For remote-control capable model only.</i>
Film Transport	Automatic loading Automatic advance Automatic rewind Manual start of rewind selectable
Viewfinder	Type: Albada zoom finder (with bright frame) Field of View: 80% Magnification: 35mm: 0.34x 70mm: 0.62x Diopter: -1 diopter
Power	Type: One 3V lithium battery (CR123A) Battery Performance: Approximately 15 rolls (<i>Based on Minolta's standard testing method at 68°F (20°C), using 24-exposure rolls with flash on 50% of exposures</i>)
Dimensions (W x H x D)	Standard Model: 5.1 x 2.9 x 2.1 inches (128.5 x 73 x 52.5mm) Date Model: 5.1 x 2.9 x 2.2 inches (128.5 x 73 x 56mm)
Weight (w/o batteries)	Standard Model: 8.6 ounces (245g) Date Model: 9.0 ounces (255g)

Specifications are subject to change without notice
###